



By: R.P.A.D.

NO: GPCB/RO-GNR-713(1)/ID-20596/15736/157

26 MAR 2019

Amendment to Consolidated Consents and Authorization (CC&A) No. AWH-23516 date of issue 05/06/2017. (Under the provisions/rules of the aforesaid environmental acts)

To,
M/S. JRJ FOODS (PVT.) LTD.
Plot No. 314, 315, Phase-1,
GIDC, Chhatral-382725,
Tal. Kalol, Dist. Gandhinagar.

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and under rule 6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules-2016, framed under the Environmental (Protection) Act-1986. This board is empowered to amend the CC&A.

And whereas the Board has granted Consolidated Consents and Authorization (CC&A) No. AWH-23516 vide letter No.: GPCB/RO-GNR-713/ID-20596/15124 dated 01/07/2017 under the provisions of the aforesaid Environment Acts/Rules.

This Board has received your application No. 151463 dated 12/02/2019 for the amendment into said CCA. And now CCA No. AWH-23516 is hereby amended for the following conditions only.

- 1) At Condition No. 1.0, Consolidated Consents & Authorization No. shall be read as **AWH-34894** along with AWH-23516.
- 2) Consolidated Consents & Authorization No. AWH-23516 shall be now read as below.
 1. There shall be no change in to production quantity after amendment.
 2. There shall be no change in to condition stipulated under The Water (Prevention & Control of Pollution) Act – 1974.
 3. Condition No. 3.1 shall be read as under:

Sr. No.	Fuel	Existing Quantity	Proposed Quantity	Total Quantity
1	PNG	Nil	1200 m ³ /day	1200 m ³ /day

R.P.A.D.
1573/19



GUJARAT POLLUTION CONTROL BOARD

Regional Office : Gandhinagar
"Paryavaran Bhavan (Old Building)"
Sector -10'A', Gandhinagar
Website : <http://gpcbgn.gujarat.gov.in>
Email ID : ro-gpcb-gana@gujarat.gov.in
Ph. No. : (079) 232 22096

4. Condition No. 3.2 shall be read as under:

Stack No.	Stack attached to	Stack height	APCM	Parameter	Permissible Limit
Proposed					
1	Gas fired boiler (2000 kg/h)	15 m	--	Particulate Matter	150 mg/NM ³
				SO ₂	100 ppm
				NO _x	50 ppm

Note: The unit shall dismantle old Non-IBR boilers (2 No.) and one TFH.

5. There shall be no change in to condition stipulated under The Hazardous Waste Management Rules – 2016.

The other conditions of the Consent and Authorization AWH-23516 issued by this Board vide letter No.: GPCB/RO-GNR-713/ID-20596/15124 dated 01/07/2017 shall remain unchanged.

NO: GPCB/RO-GNR-713(1)/ID-20596/15736/KA

26 MAR 2019

Issued To:
M/S. JRJ FOODS (PVT.) LTD.
Plot No. 314, 315, Phase-1,
GIDC, Chhatral-382725,
Tal. Kalol, Dist. Gandhinagar.

For and on behalf of
Gujarat Pollution Control Board

D. Vankani
25/3/2019
D.C. Vankani
Environment Engineer